



## SILICA-THICKENED GREASE

### SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

Chemical Name	Mixture
CAS No.	Mixture
Trade Name	InfinX MRO 2505, 19, 25-5S, 25-5S mil, 25-5SI, 28, 28I, 28LT, 28LTI, 32, WPS-HAL-009
Product Code	None

**Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s)	Lubricant / Grease
Uses Advised Against	We do not recommend for use with caustic solutions, hydrofluoric acid, gaseous fluorine, or halogen fluorides. Before using this product in any process known to react with silica, test it thoroughly.

**Identity of manufacturer/importer and other suppliers**

Company Identification	Halocarbon, LLC 6525 The Corners Parkway; Suite 200 Peachtree Corners, GA 30092 (470) 419-6363
Telephone	
E-Mail (competent person)	<a href="mailto:sds@halocarbon.com">sds@halocarbon.com</a>

**Emergency telephone number**

Emergency Phone No.	CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)
---------------------	--

#### SECTION 2: HAZARDS IDENTIFICATION

**Classification of the substance or mixture**

OSHA HCS (29 CFR 1910.1200)	Not classified as dangerous for supply/use.
-----------------------------	---

**Label elements**

Hazard Symbol	None
Hazard Statement(s)	None
Precautionary Statement(s)	IF SWALLOWED: Rinse mouth. Treat symptomatically. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention. IF ON SKIN: Wash with plenty of soap and water. If irritation (redness, rash, blistering) develops, get medical attention. Keep out of reach of children.
Other hazards	None

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	% wt.	CAS No.
Not classified as dangerous for supply/use. *	N/A	N/A

## SILICA-THICKENED GREASE

\* Does not contain crystalline silica.

The exact composition is being withheld as Trade Secret according to OSHA 29 CFR 1910.1200.

### SECTION 4: FIRST AID MEASURES



#### Description of first aid measures

Inhalation	Not normally required. Move person to fresh air. If breathing is laboured, administer oxygen. If symptoms develop, obtain medical attention.
Skin Contact	Wash affected skin with soap and water. If irritation (redness, rash, blistering) develops, get medical attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.
Ingestion	Rinse mouth. Treat symptomatically.
<b>Most important symptoms and effects, both acute and delayed</b>	None known.
<b>Indication of any immediate medical attention and special treatment needed</b>	None known.

### SECTION 5: FIRE-FIGHTING MEASURES

#### Extinguishing Media

-Suitable Extinguishing Media	Extinguish with water spray, dry chemical, sand or carbon dioxide.
-Unsuitable Extinguishing Media	None anticipated.

#### Special hazards arising from the substance or mixture

The decomposition to toxic, non-sludge forming volatile compounds occurs rapidly at 325 °C, noticeably at 300 °C and in lesser amounts at lower temperatures. Therefore, the maximum safe operating temperature recommended is 200 °C and maximum short term temperature recommended is 260 °C in scrupulously clean systems.

#### Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures</b>	Wear protective gloves/eye protection.
<b>Environmental precautions</b>	Avoid run off to waterways and sewers.
<b>Methods and material for containment and cleaning up</b>	Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.
<b>Reference to other sections</b>	See Section: 8
<b>Additional Information</b>	None

## SILICA-THICKENED GREASE

### SECTION 7: HANDLING AND STORAGE

**Precautions for safe handling**

Avoid contact with skin and eyes.

**Hygiene Measures**

Wash hands and exposed skin thoroughly after handling.

**Environmental Exposure Controls**

Avoid release to the environment.

**Conditions for safe storage, including any incompatibilities**

-Storage temperature

Store at room temperature.

-Incompatible materials

Strong oxidising agents. Reacts with active metals like Sodium and Potassium, Amines (including additives), liquid Fluorine and liquid Chlorine Trifluoride. Caution should be used with Aluminum and Magnesium under conditions of large shear forces such as those found in threaded connections. Materials known to react with silica.  
Lubricant / Grease

**Specific end use(s)**

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational Exposure Limits**

SUBSTANCE.	CAS No.	(8hr TWA)		STEL		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
None	-----	-----	-----	-----	-----	-----

**Recommended monitoring method**

None known.

**Exposure controls**
**Appropriate engineering controls**

Ensure adequate ventilation.

**Personal protection equipment**

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

Wear suitable gloves (Nitrile rubber).



Respiratory protection

Normally no personal respiratory protection is necessary.


**Environmental Exposure Controls**

Disposal should be in accordance with local, state or national legislation.

**Additional Information**

None

## SILICA-THICKENED GREASE

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Appearance	Grease
Color	Off-white
Odor	Not available
Odor Threshold (ppm)	Not available
pH (Value)	Neutral
Melting Point (°C) / Freezing Point (°C)	> 200 (> 392°F)
Boiling point/boiling range (°C):	Not available
Flash Point (°C)	None
Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Explosive Limit Ranges	Not available
Vapour pressure (Pascal)	Not available
Vapour Density (Air=1)	Not available
Density (g/ml)	1.9 @ 38 °C
Solubility (Water)	Negligible
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	Not available
Decomposition Temperature (°C)	> 200 (> 392°F)
Kinematic Viscosity (cSt)	> 200 @ 40 °C
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
<b>Other information</b>	Not available

### SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	Not available
<b>Chemical stability</b>	Considered stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None known.
<b>Conditions to avoid:</b>	Incompatible materials
<b>Incompatible materials</b>	Strong oxidising agents. Reacts with active metals like Sodium and Potassium, Amines (including additives), liquid Fluorine and liquid Chlorine Trifluoride. Caution should be used with Aluminum and Magnesium under conditions of large shear forces such as those found in threaded connections. Materials known to react with silica.
<b>Hazardous decomposition product(s)</b>	The decomposition to toxic, non-sludge forming volatile compounds occurs rapidly at 325 °C, noticeably at 300 °C and in lesser amounts at lower temperatures. Therefore, the maximum safe operating temperature recommended is 200 °C and maximum short term temperature recommended is 260 °C in scrupulously clean systems.

### SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes:** Inhalation, Skin Contact, Eye Contact

**Acute toxicity** Oral: LD50 >15.9 g/kg-bw  
Dermal: LD50 >5 g/kg-bw

**Irritation/Corrosivity** Not to be expected

## SILICA-THICKENED GREASE

<b>Sensitization</b>	It is not a skin sensitizer.
<b>Repeated dose toxicity</b>	Not to be expected
<b>Carcinogenicity</b>	No data. It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

<b>Mutagenicity</b>	There is no evidence of mutagenic potential.
<b>Reproductive toxicity</b>	Not to be expected

### SECTION 12: ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	
Acute toxicity (estimated / calculated)	LC50(96 hour): >100 mg/l (fish) EC50(48 hour): >100 mg/l (Daphnia magna) EC50 (72 hour): >100 mg/l (algae)
Long Term Toxicity	Not to be expected
<b>Persistence and degradability</b>	Persistent
<b>Bioaccumulative potential</b>	The substance has low potential for bioaccumulation.
<b>Mobility in soil</b>	No data.
<b>Results of PBT and vPvB assessment</b>	Not classified as PBT or vPvB.
<b>Other adverse effects</b>	None known.

### SECTION 13: DISPOSAL CONSIDERATIONS

<b>Waste treatment methods</b>	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, any by-products and containers should be in accordance with local, state, and national regulation, at an approved waste-handling facility. Do not release into drains, sewers, soil, or any body of water. Consult an accredited waste disposal contractor or the local authority for advice.
--------------------------------	--

### SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT)	Sea transport (IMDG)	Air transport (ICAO/IATA)
<b>UN number</b>			
<b>Proper Shipping Name</b>			
<b>Transport hazard class(es)</b>			
<b>Packing group</b>			
<b>Environmental hazards</b>			
<b>Special precautions for user</b>			
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b> Not applicable			

### SECTION 15: REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**TSCA (Toxic Substance Control Act) - Inventory Status:** All substances listed and active, or exempt.



## SILICA-THICKENED GREASE

### Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	----	----	----

SARA 311/312 - Hazard Categories: See SECTION 2 - HAZARDS IDENTIFICATION

### SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	----	----

### SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None	----	----	----

### California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None	----	----

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 5, 7, 13

Date of preparation: January 28, 2021

Revision date: March 8, 2023

Additional Information: None

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.